

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	•
09/753,747 12/27/2000		Alma K. Schurig	021180-2.10	1897	•
75	590 10/03/2005	EXAMINER			
JEFFREY C.F MEYERTONS.	łood , hood,kivlin, kowe	CORRIELUS, JEAN B			
P.O. BOX 398			ART UNIT	PAPER NUMBER	1
AUSTIN, TX 78767-0398			2637		•

DATE MAILED: 10/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Арр	lication No.	Applicant(s)					
Office Action Summary		09/7	753,747	SCHURIG, ALMA	SCHURIG, ALMA K.				
		Exar	miner	Art Unit					
		Jear	B. Corrielus	2637					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status									
1)	Responsive to communication(s) file	ed on 22 August	2005.						
	· · · · · · · · · · · · · · · · · · ·	2b) ☐ This action	-						
·	Since this application is in condition	for allowance ex	cept for formal ma	atters, prosecution as to th	e merits is				
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4)⊠	Claim(s) <u>18-21 and 49-94</u> is/are per	nding in the appli	cation.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)⊠	5)⊠ Claim(s) <u>18-21 and 49-94</u> is/are allowed.								
6)□									
7)	Claim(s) is/are objected to.								
8)□	Claim(s) are subject to restrict	ction and/or elect	ion requirement.						
Applicati	ion Papers								
9)🖾	The specification is objected to by the	e Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority under 35 U.S.C. § 119									
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
Attachment(s)									
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F	PTO-9481		y Summary (PTO-413) o(s)/Mail Date					
3) 🔲 Infori	mation Disclosure Statement(s) (PTO-1449 or r No(s)/Mail Date			Informal Patent Application (PT	O-152)				

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities:

Page 11, line 20, shouldn't "conversion from Cat-5 cable 206" be replaced by "coaxial data"?

The specification page 15, lines 1-5 refers to 316 and 326 as "Power managers".

However, it is not clear as to why a power manager 326 is connected to another power manager 316.

Appropriate correction is required.

Claim Objections

2. Claims 50, 54-56, 64-65, 69-70 and 84-94 are objected to because of the following informalities:

Claim 51, line 3, shouldn't "transmit" be replaced by "received" and "onto" by "from"?

Claim 54, line before the last, shouldn't "coaxial data" be replaced by "differentiated data"? Since the second transformer generates a "differentiated data".

Claim 64, line 2, shouldn't "power" be inserted before "switch"?

Claim 69, last line, shouldn't "coaxial" be replaced by "differentiated"? Since the second transformer generates a "differentiated data".

Claim 70, lines 2-3, what does it mean by "engage power lines"?

Application/Control Number: 09/753,747

Art Unit: 2637

Claim 84, line 5, "as differentiated data" should be inserted after "ports" so as to provide antecedent basis for the recitation in line 7.

Note that any claim whose base claim is objected is likewise objected.

Appropriate correction is required.

3. This application is in condition for allowance except for the formal matters noted above.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Response to Arguments

4. In view of the applicant's comment filed on 8/22/05, the outstanding art rejection has been withdrawn.

Allowable Subject Matter

5. Claims 18-21 and 49-94 are allowed. However, the claims must be amended if necessary to overcome any objection set forth above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Maxi-Flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/753,747 Page 4

Art Unit: 2637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jean B Corrielus
Primary Examiner
Art Unit 2637